




[www.technomie.com](http://www.technomie.com)

# NOVIO

Home Evolved.



NOVIO  
Home Evolved.

# Contents

## About

About Techomie

## Product Introduction

Switches & Control

Smart curtains

Lighting

Central Control Panel

Locks & Security

## Smart Scene

At Home

When you are Not Home

Custom Configuration



## ABOUT TECHOMIE

Techomie is an emerging leader in Smart Home Automation and IoT solutions, delivering intelligent, affordable, and customizable systems for Homes, Villas, Apartments, Offices, and Gated Communities.

Our offerings enable Smart App based control of switches, curtains, blinds, remote door locks, air conditioners, media devices, camera, video door phones and include monitoring of sensors for safety and security related to smoke, gas leak, door intrusion and more.

Our choice of wireless and wired deployment options allow users flexibility, minimize disruption and allow them to easily adapt the solution as their needs change. Users have access to control and monitor devices through Smart Apps or through voice control via Google Home or Amazon Alexa.'



## ABOUT ADVANTAGE

More than 200 products which can cover full home automation

Instant IOT cloud response and voice control in 0.3 ms.

You can use our Mobile Application to control smart devices

Operate multiple devices remotely set smart scene in automation.



# Product Introduction



Smart switches & control



Smart Curtains



Smart lighting



Smart Locks and Sensors



Smart Cloud Intercon-  
nection with 11,000+  
products



Intelligent scenario  
Configuration-free



Three control  
methods Easy smart  
home experience



Security and reliability  
Military-level security



Cloud service  
Stable, reliable, and low  
power consumption










Easy installation  
No network configuration



Network access  
Various mainstream  
access methods




One app Easy control of  
your home



## App Control


Use Smart Life app to control and manage smart devices in your home



## Smart Life Application

One app manages all your Smart Devices


- Geo fencing
- Push Notification
- Schedule Devices
- Family & Home management
- Home Data monitoring
- Scene automation
- Remote Control
- Easy to add & remove devices



Download Smart Life Application

## Voice speaker control

Smart speakers make your desired intelligence touchable, and devices that are associated with mainstream smart speakers in the world enlighten your life.



Alexa, set the air conditioner temperature to 26°C.

Okay.....



## Recommended brands

(Types of interconnected speakers and available functions are determined by specific product models.)



Google Home



Echo



Google Nest



Echo Show



Google Home Mini



Echo Dot



Apple Siri Shortcut



A modern outdoor patio area with a pergola, outdoor furniture, and a bar area. The patio is paved with light-colored tiles and features several sets of dark wicker outdoor furniture with white cushions. In the background, there is a bar area with a counter and stools, and a dining area with tables and chairs. The building has a stone chimney and large windows.







# PRODUCT INTRODUCTION






Switches & Control  
Smart Curtains  
Lighting  
Central Control Panel  
Locks & Security  
Hotel Management Solution

# LuxeRay Glass Panel Switches



Glass Color Option   
 Bezel Color Option 

-  Child Lock
-  Zigbee Mesh Technology delivers Unmatched Stability, Enables Offline Scene Operations
-  2.5D Curved Toughened Glass Panel with B&W Color Options
-  CNC Machined Curved Metal Bezel available in Gold, Silver and Black Colors
-  Overload Protection up to 2.5KV
-  Equipped with an ALS sensor, automatically adjusts its brightness based on the surrounding ambient light.



-  Every Switch can handle 16A heavy loads and perform various functions, including 2-way, toggle, scene, and ZigBee lighting remote modes
-  Customizable touch buttons with backlit colors, brightness settings, and icons.
-  More than 50 variants: 2,4,6/8,12 modular sizes with Touch Screen, USB socket, light, fan and curtain switches combo
-  Mobile App enabled with Alexa/Google/Siri shortcuts
-  Make in India product

## 2 MODULAR




### 4 TOUCH PANEL

Model options  
 (4+0+0+0U, 2+0+1+0U, 2+1+0+0U, 0+1+1+0U, 0+0+2+0U)



Glass Color Option   
 Bezel Color Option 

## 4 MODULAR



### 8 TOUCH PANEL



Model options  
 (8+0+0+0U, 6+0+1+0U, 6+1+0+0U, 4+2+0+0U)  
 (4+1+1+0U, 4+0+2+0U, 2+2+1+0U, 2+1+2+0U)  
 (0+2+2+0U)

Glass Color Option   
 Bezel Color Option 




### 4 TOUCH + SOCKET PANEL

Model options  
 (4+0+0+1U, 2+0+1+1U, 2+1+0+1U)  
 (0+1+1+1U, 0+0+2+1U)  
 (4+0+0+1UL, 2+0+1+1UL, 2+1+0+1UL)  
 (0+1+1+1UL, 0+0+2+1UL)



Glass Color Option   
 Bezel Color Option 


## 6/8 MODULAR



### 10 TOUCH PANEL



Model options  
 (10+0+0+0U, 8+0+1+0U, 7+1+0+0U, 4+2+0+0U)  
 (5+1+1+0U, 3+1+2+0U, 2+2+1+0U, 0+2+2+0U)

Glass Color Option   
 Bezel Color Option 



### 8 TOUCH + SOCKET PANEL

Model options  
 (8+0+0+1U, 6+0+1+1U, 6+1+0+1U, 4+2+0+1U)  
 (4+1+1+1U, 4+0+2+1U, 2+2+1+1U, 2+1+2+1U)  
 (0+2+2+0)  
 (8+0+0+1UL, 6+0+1+1UL, 6+1+0+1UL, 4+2+0+1UL)  
 (4+1+1+1UL, 4+0+2+1UL, 2+2+1+1UL, 2+1+2+1UL)  
 (0+2+2+0UL)



Glass Color Option   
 Bezel Color Option 

## 12 MODULAR



### 10 TOUCH + SOCKET PANEL

Model options  
 (10+0+0+3L, 8+0+1+3L, 7+1+0+3L, 4+2+0+3L)  
 (5+1+1+3L, 3+1+2+3L, 2+2+1+3L, 0+2+2+3L)

Glass Color Option   
 Bezel Color Option 





### One line Telescopic Expandable center Opening Curtain track

- New telescopic patterned technology based curtain track is 51mm and easy to transport
- Electrophoresis process, metallic silver powder spraying process, dust-proof, anti-particle and anti-oxidation, smooth after long use.
- Use this curtain track and you will never need to worry about the size of the rail does not match the size of the curtain .



### zigbee/WiFi Sliding Curtain Motor Solution

- Easily operate small and large size curtains using remote and mobile app.
- Silent Operating Motorized Curtain Track kit up to 16 feet track.
- Voice Control using Alexa and Google home through Phlipton app.
- Contents – Motor, Remote, Track, Jointer, Runner poles, Master carrier, Driving Belt and Ceiling bracket.

### zigbee/WiFi Universal remote control(IR)

Remote app control or local control of your home appliances such as air conditioner, television, music system or any remote operated devices with mobile app and other smart devices like third-party voice control speakers



zigbee IR

All-in-one infrared remote control

WiFi Mini IR





## zigbee/wiFi In wall heavy duty retrofit switch modules



Control From Mobile App

Schedule Events | Retain Manual Control

Hands Free with Amazon alexa & Google Assistant

Easy and Intelligent Installation | Make Normal Tik-Tok switch Automated



Multi Times Support Delay, Loop Countdown | Configurable restore behaviour on Power / Resume



zigbee  
CE RoHS SELV

## Dimmable & CCT Changing Smart LED Driver

Note : this driver can be used with any existing single color or Double color 12-18watt LED light, it can make LED light dimmable & CCT tunable ( If LED is Dual color )



Adopt SAMSUNG/COVESTROV0 flame resistant polycarbonate protective Housings with small size and light weight.

Zigbee Mesh & Smartlife application protocol with high networking capability are reliable and stable.

Support Control IOS or Android devices through Zigbee Connection

With Soft-on and fade-in Dimming Function enhancing visual comfort.

T-PWM Dimming technology allows continuous and flicker-free images under high-speed shooting.

1-100% Flicker-free dimming with high frequency exemption level.

innovative thermal management technology protects the power life intelligently.

Overheat, overvoltage, overload short-circuit protection and automatic recovery.


suitable for indoor light applications of // / / / / type.

Up to 50,000-hour life time.


# Smart LED Strip and Controller




# Smart LED Down Light



- zigbee RGB+CCT 5 Ch / CCT 2Ch**
- 2700-6500 K CCT & RGB color control
  - 16 million shades to choose from
  - Additional programmed pre-set modes and scenes
  - Voice control with Amazon Alexa and Google Assistant
  - Sync with your favorite music and sounds




## Controller



RGBCW / CW

## Combo




RGB+CCT



CCT

# zigbee DOWN LIGHT



## Concealed

**DEEP SQUARE DOWN LIGHT**

Power = 12W/18W

Dimension: 120W: 110 x 110 x 35mm, 18W: 100 x 100 x 35mm | 110° Beam Angle | Cut Out: 100mm (120mm) | ≥ 90 CRI | Dimming: Tricac 1-10V/0-10V | Available Color: TUNABLE WHITE (available) | ≥ 90 CRI | Dimming: Tricac 1-10V/0-10V | Available Color: ● ○

**DEEP ROUND DOWN LIGHT**

Power = 12W/18W

Dimension: 120W: 120 x 120 x 35mm, 18W: 100 x 100 x 35mm | 110° Beam Angle | Cut Out: 100mm (120mm) | ≥ 90 CRI | Dimming: Tricac 1-10V/0-10V | Available Color: TUNABLE WHITE (available) | ≥ 90 CRI | Dimming: Tricac 1-10V/0-10V | Available Color: ● ○

**GLOWRIA DOWN LIGHT**

Power = 12W/18W

Dimension: 120W: 100 x 100 x 35mm, 18W: 100 x 100 x 35mm | 120° Beam Angle | Cut Out: 100mm (100mm) | ≥ 90 CRI | Dimming: Tricac 1-10V/0-10V | Available Color: TUNABLE WHITE (available) | ≥ 90 CRI | Dimming: Tricac 1-10V/0-10V | Available Color: ● ○


**SPECTRA DOWN LIGHT**

Power = 12W/18W

Dimension: 120W: 87 x 87 x 35mm, 18W: 100 x 100 x 35mm | 120° Beam Angle | Cut Out: 100mm (100mm) | ≥ 90 CRI | Dimming: Tricac 1-10V/0-10V | Available Color: TUNABLE WHITE (available) | ≥ 90 CRI | Dimming: Tricac 1-10V/0-10V | Available Color: ● ○

# Advanced Architectural Lighting Solution

Noviq offers a premium collection of architectural smart lighting solutions, featuring tunable CCT from 2700K to 6500K and dimmable fittings. Our lighting range is compatible with mobile app control (Wi-Fi/Zigbee), and select models also support 2.4G RF remote operation — giving users complete flexibility in ambiance and automation.



MAKE IN INDIA




## DOWN LIGHTS

Surface


### GLOW FALL DOWN LIGHT

Power = 16W



### LUMA DROP DOWN LIGHT

Power = 12W/18W




## SPOT LIGHTS

Surface

### SURFACE CYLINDER

Power = 12W/18W



### ANGLE MOVABLE CYLINDER


Power = 12W



A-Glare

### LUX EASE SPOT LIGHT

Power = 12W/24W



### EYE ZEN SPOT LIGHT


Power = 12W/24W



Concealed Anti Glare

### VISION SAFE SPOT LIGHT

Power = 12W




### GLARE GUARD SPOT LIGHT

Power = 12W/24W




### NIMBUS SPOT LIGHT

Power = 12W/18W



### PRISM SPOT LIGHT

Power = 12W/18W




### RAY SPOT LIGHT

Power = 12W



### DEEPCONE PRO SPOT LIGHT

Power = 7W/12W/18W



### ORA SPOT LIGHT

Power = 12W/18W



### GLINTLESS SPOT LIGHT

Power = 12W



Concealed Anti Glare



### GLOW LUST SPOT LIGHT

Power = 12W/18W

Dimension: 12W: 82 X 65mm, 18W: 102 X 65mm

38° Beam Angle

Cut Out: 12W: 75mm, 18W: 85mm

≥ 90 CRI

Dimming: Trac 1-10V/0-10V

TUNABLE WHITE AVAILABLE

Available Color: ● ○



### DAZZEL SPOT LIGHT

Power = 12W/18W

Dimension: 12W: 82 X 65mm, 18W: 82 X 65mm

60° Beam Angle

Cut Out: 12W: 75mm, 18W: 75mm

≥ 90 CRI

Dimming: Trac 1-10V/0-10V

TUNABLE WHITE AVAILABLE

Available Color: ○



### DIMORA SPOT LIGHT

Power = 12W

Dimension: 12W: 82 X 45mm

38° Beam Angle

Cut Out: 12W: 75mm

≥ 90 CRI

Dimming: Trac 1-10V/0-10V

TUNABLE WHITE AVAILABLE

Available Color: ● ○



### GLOWMAX SPOT LIGHT

Power = 12W

Dimension: 12W: 85 X 80mm

38° Beam Angle

Cut Out: 12W: 75mm

≥ 90 CRI

Dimming: Trac 1-10V/0-10V

TUNABLE WHITE AVAILABLE

Available Color: ○

Concealed



### GLANZA CURVE SPOT LIGHT

Power = 7W/12W/18W

Dimension: 7W: 65mm, 12W: 75mm, 18W: 85 X 65mm

243° Beam Angle

Cut Out: 7W: 65mm, 12W: 75mm, 18W: 85mm

≥ 90 CRI

Dimming: Trac 1-10V/0-10V

TUNABLE WHITE AVAILABLE

Available Color: ● ○



### JETT SPOT SPOT LIGHT

Power = 7W/12W

Dimension: 7W: 65 X 62mm, 12W: 82 X 72mm

38° Beam Angle

Cut Out: 7W: 65mm, 12W: 82mm

≥ 90 CRI

Dimming: Trac 1-10V/0-10V

TUNABLE WHITE AVAILABLE

Available Color: ● ○



### SPARKLE SPOT LIGHT

Power = 12W/18W

Dimension: 12W: 82 X 65mm, 18W: 102 X 75mm

24° Beam Angle

Cut Out: 12W: 75mm, 18W: 85mm

≥ 90 CRI

Dimming: Trac 1-10V/0-10V

TUNABLE WHITE AVAILABLE

Available Color: ● ○



### GLEAM SPOT LIGHT

Power = 12W/18W

Dimension: 12W: 72 X 65mm, 18W: 82 X 75mm

38° Beam Angle

Cut Out: 12W: 65mm, 18W: 75mm

≥ 90 CRI

Dimming: Trac 1-10V/0-10V

TUNABLE WHITE AVAILABLE

Available Color: ● ○



### SOFTSPILL SPOT LIGHT

Power = 7W/12W

Dimension: 7W: 62 X 65mm, 12W: 82 X 75mm

38° Beam Angle

Cut Out: 7W: 55mm, 12W: 75mm

≥ 90 CRI

Dimming: Trac 1-10V/0-10V

TUNABLE WHITE AVAILABLE

Available Color: ● ○



### EXTRA CONE SPOT LIGHT

Power = 12W

Dimension: 85 X 65mm

38° Beam Angle

Cut Out: 75mm

≥ 90 CRI

Dimming: Trac 1-10V/0-10V

TUNABLE WHITE AVAILABLE

Available Color: ● ○



### DEEP CONE SPOT LIGHT

Power = 7W/12W

Dimension: 7W: 65 X 65mm, 12W: 85 X 65mm

243° Beam Angle

Cut Out: 7W: 65mm, 12W: 85mm

≥ 90 CRI

Dimming: Trac 1-10V/0-10V

TUNABLE WHITE AVAILABLE

Available Color: ● ○

Concealed



### SIGMA SPOT LIGHT

Power = 12W

Dimension: 85 X 80mm

38° Beam Angle

Cut Out: 75mm

≥ 90 CRI

Dimming: Trac 1-10V/0-10V

TUNABLE WHITE AVAILABLE

Available Color: ● ○



### PRISM PRO SPOT LIGHT

Power = 12W/18W

Dimension: 12W: 82 X 65mm, 18W: 102 X 75mm

38° Beam Angle

Cut Out: 12W: 75mm, 18W: 85mm

≥ 90 CRI

Dimming: Trac 1-10V/0-10V

TUNABLE WHITE AVAILABLE

Available Color: ○



### AURAGLOW SPOT LIGHT

Power = 12W/18W

Dimension: 12W: 72 X 105mm, 18W: 82 X 125mm

38° Beam Angle

Cut Out: 12W: 75mm, 18W: 85mm

≥ 90 CRI

Dimming: Trac 1-10V/0-10V

TUNABLE WHITE AVAILABLE

Available Color: ○



### PRO COB SPOT LIGHT

Power = 7W/12W/18W

Dimension: 7W: 65 X 65mm, 12W: 82 X 75mm, 18W: 92 X 85mm

243° Beam Angle

Cut Out: 7W: 65mm, 12W: 75mm, 18W: 85mm

≥ 90 CRI

Dimming: Trac 1-10V/0-10V

TUNABLE WHITE AVAILABLE

Available Color: ● ○



### DAPPER COB SPOT LIGHT

Power = 7W/12W/18W

Dimension: 7W: 65 X 65mm, 12W: 72 X 75mm, 18W: 82 X 105mm

243° Beam Angle

Cut Out: 7W: 65mm, 12W: 75mm, 18W: 85mm

≥ 90 CRI

Dimming: Trac 1-10V/0-10V

TUNABLE WHITE AVAILABLE

Available Color: ● ○



### INSTA GLOW SPOT LIGHT

Power = 7W/12W/18W

Dimension: 7W: 42 X 65mm, 12W: 52 X 65mm, 18W: 62 X 115mm

243° Beam Angle

Cut Out: 7W: 35mm, 12W: 55mm, 18W: 75mm

≥ 90 CRI

Dimming: Trac 1-10V/0-10V

TUNABLE WHITE AVAILABLE

Available Color: ● ○



### LUMINEX SPOT LIGHT

Power = 12W

Dimension: 12W: 85 X 75mm

38° Beam Angle

Cut Out: 75mm

≥ 90 CRI

Dimming: Trac 1-10V/0-10V

TUNABLE WHITE AVAILABLE

Available Color: ○



### AURA SPOT LIGHT

Power = 12W/18W

Dimension: 12W: 85 X 105mm, 18W: 105 X 115mm

38° Beam Angle

Cut Out: 12W: 75mm, 18W: 95mm

≥ 90 CRI

Dimming: Trac 1-10V/0-10V

TUNABLE WHITE AVAILABLE

Available Color: ○



### JETT SPOT SPOT LIGHT

Power = 12W

Dimension: 85 X 76mm

38° Beam Angle

Cut Out: 75mm

≥ 90 CRI

Dimming: Trac 1-10V/0-10V

TUNABLE WHITE AVAILABLE

Available Color: ● ○



### ULTRA LOW SPOT LIGHT

Power = 12W

Dimension: 75 X 58 mm

38° Beam Angle

Cut Out: 65mm

≥ 90 CRI

Dimming: Trac 1-10V/0-10V

TUNABLE WHITE AVAILABLE

Available Color: ● ○

Concealed



### DAPPER PLUS SPOT LIGHT

Power = 12W

Dimension: 90 X 95 mm | 38° Beam Angle | Cut Out:  $\varnothing$  60 mm |  $\geq 90$  CRI | Dimming: Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color:



### LOW DAPPER SPOT LIGHT

Power = 12W

Dimension: 72 X 75 mm | 38° Beam Angle | Cut Out:  $\varnothing$  66 mm |  $\geq 90$  CRI | Dimming: Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color:



### SHARP BEAM SPOT LIGHT

Power = 8W/12W/18W

Dimension: 100 X 51 X 75 mm | 38° Beam Angle | Cut Out:  $\varnothing$  65 mm |  $\geq 90$  CRI | Dimming: Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color:



### SPOT LUX SPOT LIGHT

Power = 12W

Dimension: 85 X 75 mm | 38° Beam Angle | Cut Out:  $\varnothing$  74 mm |  $\geq 90$  CRI | Dimming: Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color:



### FLEX BEAM SPOT LIGHT

Power = 12W

Dimension: 94 X 64 mm | 38° Beam Angle | Cut Out:  $\varnothing$  90 mm |  $\geq 90$  CRI | Dimming: Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color:



### BRIGHT PIN SPOT LIGHT

Power = 12W

Dimension: 55 X 110 mm | 38° Beam Angle | Cut Out:  $\varnothing$  42 mm |  $\geq 90$  CRI | Dimming: Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color:



### VISION PRO SPOT LIGHT

Power = 12W

Dimension: 76 X 61 mm | 38° Beam Angle | Cut Out:  $\varnothing$  65 mm |  $\geq 90$  CRI | Dimming: Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color:



### SPOT FLARE SPOT LIGHT

Power = 12W

Dimension: 73 X 84 mm | 38° Beam Angle | Cut Out:  $\varnothing$  64 mm |  $\geq 90$  CRI | Dimming: Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color:



### VISION CURV SPOT LIGHT

Power = 12W

Dimension: 71 X 61 mm | 38° Beam Angle | Cut Out:  $\varnothing$  65 mm |  $\geq 90$  CRI | Dimming: Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color:



### TRIM GLOW SPOT LIGHT

Power = 12W

Dimension: 100 X 81 X 75 mm | 38° Beam Angle | Cut Out:  $\varnothing$  78-85 mm |  $\geq 90$  CRI | Dimming: Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color:



### GLIDE SPOT LIGHT

Power = 7W/12W/18W

Dimension: 100 X 51 X 75 mm | 38° Beam Angle | Cut Out:  $\varnothing$  65 mm |  $\geq 90$  CRI | Dimming: Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color:

Dot



### DOT CURV SPOT LIGHT

Power = 12W

Dimension: 69 X 53 mm | 38° Beam Angle | Cut Out:  $\varnothing$  60 mm |  $\geq 90$  CRI | Dimming: Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color:



### SPOT DOT SPOT LIGHT

Power = 12W

Dimension: 71 X 56 mm | 38° Beam Angle | Cut Out:  $\varnothing$  64 mm |  $\geq 90$  CRI | Dimming: Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color:



### PIN POINT SPOT LIGHT

Power = 7W

Dimension: 66 X 72 mm | 38° Beam Angle | Cut Out:  $\varnothing$  34 mm |  $\geq 90$  CRI | Dimming: Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color:



### FLEX PIN SPOT LIGHT

Power = 7W


Dimension: 72 X 88 mm | 38° Beam Angle | Cut Out:  $\varnothing$  50 mm |  $\geq 90$  CRI | Dimming: Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color:



### GLINT DOT SPOT LIGHT

Power = 12W

Dimension: 75 X 90 mm | 38° Beam Angle | Cut Out:  $\varnothing$  65 mm |  $\geq 90$  CRI | Dimming: Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color:



### PIXEL SPOT LIGHT

Power = 12W

Dimension: 66 X 72 mm | 38° Beam Angle | Cut Out:  $\varnothing$  18 mm |  $\geq 90$  CRI | Dimming: Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color:

Laser Linear Spots



### LINEA GLOW SPOT LIGHT

Power = 10W

Dimension: 128 X 35 X 54 mm | 38° Beam Angle | Cut Out:  $\varnothing$  25X19 mm |  $\geq 90$  CRI | Dimming: Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color:



### LUMA LINE SPOT LIGHT

Power = 15W

Dimension: 160 X 55 X 42 mm | 38° Beam Angle | Cut Out:  $\varnothing$  45X146 mm |  $\geq 90$  CRI | Dimming: Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color:



### GLIMMER SPOT LIGHT

Power = 10W

Dimension: 127 X 32 X 40 mm | 38° Beam Angle | Cut Out:  $\varnothing$  24X120 mm |  $\geq 90$  CRI | Dimming: Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color:



### SEAM LINE SPOT LIGHT

Power = 15W

Dimension: 160 X 55 X 42 mm | 38° Beam Angle | Cut Out:  $\varnothing$  45X146 mm |  $\geq 90$  CRI | Dimming: Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color:

## zigbee Wireless 12 Scene Switch

- Wireless remote control
- Four different color options (Silver, Gold, Black & White)
- Up to 12-month battery life
- 12 different scene controls
- Supports Type-C charging
- Comes with a magnetic wall plate



## zigbee matter Wired Apple Homekit Gateway

- Zigbee apple homekit gateway supports 128 zigbee devices.
- It's support apple homekit for smart Zigbee lighting.
- Matter supported Zigbee and Thred gateway.



## zigbee + Bluetooth wireless socket multimode Gateway

- Supports 64 zigbee + 64 Bluetooth mesh devices.
- Portable direct socket fit design.
- Direct connect to wifi.

## zigbee Signal Repeater for Gateway

- Zigbee signal repeater extends the range upto 20mtr.
- USB type repeater directly fit into adapter.



## zigbee Smart Rotary knob for lighting control

- Can control dimming, turn on/off and can change the color of Noviq Zigbee lights
- Can control 5 different scenes to control all Noviq devices
- 1-year-long battery life
- 2-in-1 mode: 1-scenario mode, 2-Zigbee lighting control remote
- Comes with a magnetic plate for easy installation and portability



## zigbee Wired Pro Gateway

- It supports 200 zigbee devices Simultaneously
- Ethernet and WiFi Dual Connection
- Support 200 meter Outdoor and 20 meter Indoor range







# 48V SMART ULTRA-THIN 26mm MAGNETIC & WOVEN TRACK LIGHT COLLECTION



## 48V WOVEN TRACK



- Color**
- Orange
  - Green
  - Khaki
  - Gray
  - Black



## ULTRA-THIN MAGNETIC TRACK SHOW


- Color**
- White
  - Black



|   |   |   |   |
|---|---|---|---|
| <br><b>Grill: 6W/12W/18W/24W/30W</b>  | <br><b>Flood: 5W/10W/20W/30W</b>            | <br><b>Folding Grill: 10W/20W</b>             | <br><b>Folding Flood: 10W/20W</b>               |
| <br><b>Adjusting Grill: 6W/12W</b>   | <br><b>Down Light R1: 6W</b>               | <br><b>Down Light S: 6W</b>                  | <br><b>Down Light R2: 6W</b>                   |
| <br><b>Spot Light 1: 6W</b>          | <br><b>Spot Light 2: 9W/18W</b>            | <br><b>Spot Light 3: 9W*2</b>                | <br><b>Spot Light 4: 6W/10W/18W</b>            |
| <br><b>Round Spot: 9W</b>          | <br><b>Deep Round Spot: 9W</b>           | <br><b>Round Spot Laser: 9W</b>            | <br><b>Ball Light: 6W</b>                    |
| <br><b>Glass Ball Light: 6W</b>    | <br><b>Ball Spot Light: 10W</b>          | <br><b>Plain/Moon/Earth Ball Light: 6W</b> | <br><b>Round Wall Light: 9W</b>              |
| <br><b>Tube Light: 10W/20W/30W</b> | <br><b>Hanging Plain/Moon/Earth : 6W</b> | <br><b>Pendant Ball/Spot/Cylinder : 6W</b> | <br><b>Flexible Silicon Tube: 8W/16W/32W</b> |



24V SMART SUPER-THIN 5mm  
MAGNETIC TRACK LIGHT COLLECTION



Ultra-narrow magnetic track system

5mm wide



3.5" SCREEN\*

4" SCREEN

## Noviq 4" Multi-Functional zigbee Central Control Panel with Alexa Support

- Now Comes with inbuilt Alexa Support for voice control
- Support Two-Way Communication with door bells.
- An extremely powerful central control device for all Noviq smart devices and intelligent scenes.
- \* Inbuilt IR Blaster & Sigmesh Gateway
- (Without Zigbee Gateway & Alexa Support)
- Supports up to 100 ZigBee devices & acts like ZigBee gateway.
- Auto Brightness adjusted as per environment.
- Supports two modular standard Indian gang boxes; easy to install
- With latest TUYA operating system



## Noviq 10" Multi-Functional zigbee Control Panel with Alexa Support

- An extremely powerful central control device for all Noviq smart devices, equipped with intelligent scenes and capable of receiving calls and alerts from doorbells and cameras.
- This multifunctional screen comes with 4 action buttons from which you can control scenes, control volume, increase or decrease the brightness.
- Supports WIFI, Zigbee and Bluetooth to meet different customer needs.
- Supports standard 86 box installation and acts as a Zigbee gateway.



## Noviq 8" Multi-Functional zigbee Control Panel with Alexa Support

- An extremely powerful central control device for all Noviq smart devices, equipped with intelligent scenes and capable of receiving calls and alerts from doorbells and cameras.
- This multifunctional screen comes with 1 action buttons from which you can control scenes
- Supports WIFI, Zigbee, Bluetooth, Universal IR to meet different customer needs.
- Supports Indian standard Gangbox installation and acts as a Zigbee & Bluetooth gateway.
- Amplifier Interface: Allows connection for dual channel background music speaker



# Noviq Glass Series



BACKSIDE

- Material: Zinc alloy and Acrylic keypad
- Power supply: 4pcs AA alkaline batteries
- Unlock method: app, code, card, fingerprint passcode
- Card capacity & Fingerprint capacity: 150pcs
- Application: wooden door/ Glass door/ aluminium door
- Glass door thickness requirement: 8-14mm



Model:G1

# Noviq Series - 1Pro - G

- Digital Peep Hole
- Fingerprint Unlock
- RFID Card Unlock
- Passcode Unlock
- Low Battery Indication
- Emergency Power
- Mechanical Key Unlock

Models :  
BASIC / zigbee / WiFi / 433 MHz



Heavy Lock Body  
24 X 240mm



VDP integration  
(optional)



Open From VDP  
(optional)



# Noviq Custom Series Bluetooth



Model B1

Knob Style

- MATERIAL : Alluminium Alloy Casting
- POWER SUPPLY : 4PCS AA ALKALINE BATTERIES
- B1 Colors : Black, Gold, Silver, Brown
- UNLOCK METHOD: Card, Fingerprint, Passcode, Mobile App, KEY
- Indoor knob unlocking design, gently twist the knob indoors to realize fast unlocking, which is very convenient.
- With a Hidden key unlocking hole, the key can also be used to unlock when the battery is out of power, which is convenient and practical



Model A1



Model B2

Deadbolt Style

# Noviq Series - 1Pro

- Fingerprint Unlock
- RFID Card Unlock
- Passcode Unlock
- Low Battery Indication
- Emergency Power
- Mechanical Key Unlock

Models :  
BASIC / zigbee / WiFi / 433 MHz



VDP integration  
(optional)



Heavy Lock Body  
24 X 240mm



Open From VDP  
(optional)



# Noviq Series - 4




- One Touch Automatic open and close mortise system
- Access by 3D Face Recognition, RFID Card, Pass code, key, & APP with 3.5" larger rear display inside & HD 1.3MP CAMERA
- Back-up USB external power supply interface, in case the power is dead
- Compatible with 6068 mortise & Can be fitted most of the wooden or metal door
- Inbuilt rechargeable 7.4V Lithium batteries
- Secure zinc alloy+ABS, Anti-corrosion and sturdy
- Active Smart Lock Bind Technology
- Compatible to Unlock with Noviq Video Door Bell



# Noviq Series - 4 Curv



- One Touch Automatic open and close mortise system
- Access by 3D Face Recognition, RFID Card, Pass code, key, & APP with 3.5" larger rear display inside & HD 1.3MP CAMERA
- Back-up USB external power supply interface, in case the power is dead
- Compatible with 6068 mortise & Can be fitted most of the wooden or metal door
- Inbuilt rechargeable 7.4V Lithium batteries
- Secure zinc alloy+ABS, Anti-corrosion and sturdy
- Double Battery Power makes it more Durable
- Compatible to Unlock with Noviq Video Door Bell
- Active Smart Lock Bind Technology



# Noviq Series - 5



- Face ID, Fingerprint, Passcode, RFID Card, Palm Vein, Mechanical Keys & Remote App (Noviq) Unlock
- You can add up to 200 fingerprints, RFID & passcode
- 3.5 Inch Display on the Indoor Unit & 1.3 MP Camera on Outdoor Unit
- You can see the visitor on the display monitor of the indoor unit through camera installed on the outdoor unit
- 5 Heavy Duty Motorized latches
- Rechargeable Lithium Ion Dual Full Size Batteries
- External Micro USB Port for Emergency Power
- Hijacking Alarm
- Door thickness of 38-90mm
- Privacy Latch for added convenience
- Check past unlocking records through Noviq App
- In-built bell & lock button on the outdoor unit with app notification
- Open and close buttons on indoor unit
- \*You can see the visitor in display through camera which install in front panel of lock
- Compatible to unlock with Noviq Video Door Bell
- Active Smart Lock Bind Technology



# Noviq Series - 5 pro




- Face ID, Fingerprint, Passcode, RFID Card, Palm Vein, Mechanical Keys & Remote App (Noviq) Unlock
- You can add up to 200 fingerprints, RFID & passcode
- 3.5 Inch Display on the Indoor Unit & 1.3 MP Camera on Outdoor Unit
- You can see the visitor on the display monitor of the indoor unit through camera installed on the outdoor unit
- 5 Heavy Duty Motorized latches
- Rechargeable Lithium Ion Dual Full Size Batteries
- External Micro USB Port for Emergency Power
- Hijacking Alarm
- Door thickness of 38-90mm
- Privacy Latch for added convenience
- Check past unlocking records through Noviq App
- In-built bell & lock button on the outdoor unit with app notification
- Open and close buttons on indoor unit
- \*You can see the visitor in display through camera which install in front panel of lock
- Compatible to unlock with Noviq Video Door Bell
- Active Smart Lock Bind Technology



## Noviq Series - 6



- 3D Face recognition, Fingerprint, Passcode, Mechanical key, RFID Card & Remote Noviq App unlock.
- 4.5 inch IPS HD large screen on the indoor unit
- 5 heavy duty motorized latches
- Rechargeable lithium Ion battery
- Door thickness 38mm-110mm
- In built Bell & Lock button on the outdoor unit.
- Check past unlocking records in Noviq App
- External Micro USB port for Emergency Power
- Active Smart Lock Bind Technology
- Special CNC Process of Manufacturing
- Compatible to Unlock with Noviq Video Door Bell



## Noviq Series - 7



- 3d Face recognition, Fingerprint, Passcode, Palm Vein, Mechanical key, RFID card & Remote Noviq App unlock.
- 4.5 inch IPS hd large screen on the indoor unit.
- 5 heavy duty motorized latches
- Rechargeable lithium Ion battery.
- Door thickness 38mm-110mm.
- In built Bell & Lock button on the outdoor unit.
- Check past unlocking records in Noviq App.
- External Micro USB port for Emergency Power.
- Special CNC Process of Manufacturing.
- Active Smart Lock Bind Technology
- Compatible to Unlock with Noviq Video Door Bell


Dual Battery



## Smart Video Doorbell With Motion sensor



- Active Smart lock bind technology to unlock through doorbell App user interface
- 1080P Full HD high quality image
- IP65 waterproof rating allows it to be applied in various complex weather conditions.
- Optionally Works with 12v DC power supply for stable performance.
- Built-in camera and night vision system, as well as motion detectors on the device.
- Equipped with an indoor sensor.
- Night light wireless chime with 58 music options and different volume level choices
- Max. 128GB SD card recording without network
- 18650 Lithium battery \*2pcs with Type-C Fast charging Support




## Cabinet Lock

- Low Battery Warning
- Energy Saving Technology With Long Battery Life
- Power Supply - AAA Alkaline Battery
- Widely Use in Cabinet, Drawer, Lockers At Home Office Or School Etc.



Finger Cabinet Lock

Smart Card/NFC Cabinet Lock



## Replacing the traditional unlock mode smart lock helps you connect everything

- Industrial-grade precision and high-quality craftsmanship.
- Endured thousands of tests to ensure durability and quality.
- Equipped with unique moisture-proof technology, making it suitable for use in moist areas.



## A doorbell and also a monitor Allows you to see the outside clearly at a glance

A broad view and all-day mobile monitoring brings you reassurance even when you are away from home.

# HOTEL MANAGEMENT SOLUTION



# Welcome Home



Remote Control



Voice Control



Smart Scenes



Automation

08:00 

## Wake-up

Automatically opens curtains at a scheduled time and plays music tailored to your habits to wake you up.

10:00 

## Going out

Automatically switches off appliances like lamps, air conditioners, and televisions when you leave home.

13:00 


## Security alarm

Sends an alarm to you when the door and a window of your house is opened and you are not at home. You can turn on the camera to verify the condition.

17:00 

## Going home

You can enable the going-home mode using your phone on your way home, and the system automatically turns on the air conditioner and lamps for you.

22:00 


## Temperature adjustment

Maintains optimal room temperature for quality sleep by automatically adjusting the air conditioner based on changes in the room temperature.

20:00 

## Good night

Simply say "good night" to close curtains and turn off lamps.

18:00 

## Lighting adjustment

Automatically turns on lamps based on the local sunset time if any family member is at home.

19:00 

## Voice control

You can turn on or off lamps and select audio or video programs to watch with your voice.



  
**TECHOMIE**  
SMART DEVICES  
[www.techomie.com](http://www.techomie.com)

“At Techomie, we strive to bring smart home technology within everyone's reach. By offering customizable, reliable, and affordable solutions, we aim to simplify daily living for every household. From lighting and appliances to security and gate automation, our products make everyday tasks smarter, faster, and more convenient.”

**NOVIQ**  
Home Evolved.

